

What is the most common sexually transmitted infection in the United States

- A. Gonorrhea
- B. Chlamydia
- C. HIV
- D. HPV

Answer: D. HPV

Which sexually transmitted infection is known as the "silent infection" because it oft

- A. Chlamydia
- B. Gonorrhea
- C. HIV
- D. Syphilis

Answer: A. Chlamydia

What is the best way to prevent sexually transmitted infections

- A. Having multiple partners
- B. Only using birth control
- C. Using two condoms
- D. Abstinence

Answer: D. Abstinence

What is the most effective method for preventing the transmission of HIV

- A. Eating garlic

- B. Wearing 2 condoms
- C. PrEP medication
- D. Abstinence

Answer: D. Abstinence

Which sexually transmitted infection is caused by the herpes simplex virus

- A. Syphilis
- B. Chlamydia
- C. Herpes
- D. Gonorrhea

Answer: C. Herpes

What are the symptoms of gonorrhea in men

- A. Headache, stomach ache
- B. Fever, cough
- C. Rash on chest, sore throat
- D. Painful urination, discharge from penis

Answer: D. Painful urination, discharge from penis

What are the symptoms of chlamydia in women

- A. Headache and sore throat
- B. Painful urination and abnormal vaginal discharge
- C. Fever and cough
- D. Back pain and fatigue

Answer: B. Painful urination and abnormal vaginal discharge

How is syphilis transmitted

- A. Mosquito bites
- B. Coughing or sneezing
- C. Sexual contact
- D. Sharing food or drinks

Answer: C. Sexual contact

What is the treatment for trichomoniasis

- A. Antifungals
- B. No treatment
- C. Antibiotics
- D. Home remedies

Answer: C. Antibiotics

What is the incubation period for hepatitis B

- A. 6 weeks to 6 months
- B. 1 year
- C. 1 day
- D. 10 years

Answer: A. 6 weeks to 6 months

Can you get a sexually transmitted infection from oral sex

- A. Maybe
- B. Yes
- C. I don't know
- D. No

Answer: B. Yes

What is the most common symptom of HPV

- A. Cough
- B. Fever
- C. Genital warts
- D. Headache

Answer: C. Genital warts

How is HIV transmitted

- A. Through mosquito bites
- B. Through sexual contact and blood-to-blood contact
- C. Through sharing food or drinks
- D. Through coughing or sneezing

Answer: B. Through sexual contact and blood-to-blood contact

What is the difference between bacterial and viral sexually transmitted infections

- A. Bacterial STIs are more contagious than viral STIs

- B. Bacterial STIs are caused by bacteria, while viral STIs are caused by viruses
- C. Viral STIs can be treated with antibiotics, while bacterial STIs cannot
- D. Bacterial STIs are more serious than viral STIs

Answer: B. Bacterial STIs are caused by bacteria, while viral STIs are caused by viruses

Can you get a sexually transmitted infection from sharing a towel or toilet seat

- A. Maybe
- B. It depends
- C. Yes
- D. No

Answer: D. No

What is the difference between a yeast infection and a sexually transmitted infection

- A. Yeast infection can only be transmitted sexually.
- B. Yeast infection is caused by fungus, while STI is caused by bacteria or viruses.
- C. They are both caused by the same type of microorganism.
- D. STI always presents with itching and discharge.

Answer: B. Yeast infection is caused by fungus, while STI is caused by bacteria or viruses.

What are the long-term complications of untreated gonorrhea

- A. Decreased risk of pelvic inflammatory disease
- B. Improved reproductive health
- C. Increased fertility
- D. Infertility

Answer: D. Infertility

Can you get re-infected with the same sexually transmitted infection

- A. Not sure
- B. Yes
- C. No
- D. Maybe

Answer: B. Yes

How often should you get tested for sexually transmitted infections

- A. Only if you have symptoms
- B. Annually
- C. Quarterly
- D. Every 5 years

Answer: B. Annually

What should you do if you suspect you have a sexually transmitted infection

- A. Ignore it
- B. Hope it goes away
- C. Get tested
- D. Self-medicate

Answer: C. Get tested

